

## **Amendments to the Claims**

This listing will replace all prior versions and listings of claims in the application:

### **Listing of Claims**

Claims 1 to 35 (Cancelled)

36. (Previously presented) A method of ameliorating or treating cellulite, comprising topically applying perilla oil to an area of skin affected by cellulite in an amount effective to improve the aesthetic appearance thereof.

37. (Previously presented) The method of claim 36, wherein the perilla oil is applied in the form of a topical composition having about 0.01 wt% to about 10 wt% of the perilla oil based on the total weight of the topical composition.

38. (Previously presented) The method of claim 36, wherein the perilla oil is applied in the form of a topical composition having about 1 wt% to about 8 wt% of the perilla oil based on the total weight of the topical composition.

39. (Previously presented) The method of claim 36, wherein the perilla oil is applied in the form of a topical composition having about 3 wt% to about 6 wt% of the perilla oil based on the total weight of the topical composition.

40. (Previously presented) The method of claim 36, wherein the perilla oil is perilla seed oil.

41. (Previously presented) The method of claim 37, wherein the perilla oil is perilla seed oil.

42. (Previously presented) The method of claim 38, wherein the perilla oil is perilla seed oil.

43. (Previously presented) The method of claim 39, wherein the perilla oil is perilla seed oil.

44. (Previously presented) The method of claim 36, wherein the perilla oil is topically applied one or two times per day.

45. (Previously presented) The method of claim 37, wherein the perilla seed oil is topically applied one or two times per day.

46. (Previously presented) The method of claim 38, wherein the perilla seed oil is topically applied one or two times per day.

47. (Previously presented) The method of claim 39, wherein the perilla seed oil is topically applied one or two times per day.

48. (Previously presented) The method of claim 40, wherein the perilla seed oil is topically applied one or two times per day.

49. (Previously presented) The method of claim 41, wherein the perilla seed oil is topically applied one or two times per day.

50. (Previously presented) The method of claim 42, wherein the perilla seed oil is topically applied one or two times per day.

51. (Previously presented) The method of claim 43, wherein the perilla seed oil is topically applied one or two times per day.